# Oxitro® ALUMINIUM COMPOSITE PANEL アルミニウム複合パネル



## Ōxitro\*

## ALUMINIUM COMPOSITE PANEL

PE Aluminum Composite Panel structure is essentially composed of three layers which together along with a coating of PE combine to form a highly insuited fits panel. The two layers of aluminum sheets are bonded together permanently with an internal core of polyethylene which when coated through PE makes the surface even more flat and highly resistant. An important point is that only the front of the panel is coated with PE (Polyester) Paint so that maximum damage can be absorbed without damaging the interior core and sheet.

PE coated panels have unique features which makes them the first choice when it comes to having a peal that is weather resistant. One important thing that needs to be remembered is that the installation process of PE coated panels is fast and efficient which makes the entire process called.

There is a reason why PE coated aluminum panels have been in high demand over the last few years, this is because of the fact that PE coated panels present quite versatile options with consistent features. The most common applications of PE coated panels would be the usage in interior decorations, bibliocards & signs, usage in partitions of rooms, low building claddings and cellings. One of the biggest advantages of PE panels is the fact that they come out in a variety of colors for this sole reason the usage of PE panels in kitchens and rooms is also common.



HANGING DOOR







## OXITRO FEATURE

The OXITRO (PE Aluminium Composite Panel) has a great number of advantages, like lightweight, high strength, extreme rigidity, superior impact resistance, excellent surface flatness and smoothness, heat insulation, sound insulation, acid-resistance, alcali-resistance, good weatherproofing, and uniform colors, etc. In addition, the PE coating Juninium composite panel can be easily processed, fabricated, and quickly installed. It is elegant and magnificent, and its good flexibility makes it fit to various designs, it is also characterized by easily maintenance and simple cleaning.


## OXITRO APPLICATION

The OXTRO ("PE Aluminium Composite Panel) can be used for interior wall decoration, shop face decoration, partitions interior decorations, and more. This building material is also ideal for use in billiboards, slighboards, ceiling, evves, balcoinels, klitchen, bathroom, galleries, tunnels, subway interiors and other industrial usage.

- Curtain Walls
   Roof Edgings
   Billboards and Public Signs
   Stairways and Elevators
   Display Boards
   Furniture and Cabinets
   Showroom Finishes
   Doors







Our Honours:

Malaysia Consumers Choice



WWW.ONITEK.COM.MY
ONITEK SDN BHD
(610996-M)